Gerflor®
theflooringgroup

70 | CREATION BOOK

CREATION 70 GLUE DOWN

PERMANENT ADHESIVE

COLLAGE PERMANENT

VOLLFLÄCHIGE VERKLEBUNG

CREATION 70 CLIC



INTERLOCKING

CLIPSABLE

KLICKSYSTEM

5X MORE RESISTANT **30%** FASTER

CREATION 70 LOOSELAY



LOOSELAY - REMOVABLE

PLOMBANT-REPOSITIONNABLE

LOSE VERLEGUNG-WIEDERAUFNEHMBAR

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE DES DESIGNS

LIGHT / LÉGER / GERING

MEDIUM / MOYEN / MITTEL

HIGH / FORT / HOCH

COLOR DESIGN	CODE	CREATION 70	CREATION 70 CLIC	CREATION 70 LOOSELAY	SKIRTINGS / PLINTHES / SOCKELLEISTEN (MATCHING DESIGNS)	PAGE
DOCK GREY	0085	■	■	■	S111	28
DOCK TAUPE	0087	■	■	■	S020	28
GENTLEMAN GREY	1058	■	■	■	WHITE	30
MIDWEST	0538	■	■	■	S039	14
MOON ISLAND	0358	■	■	■	S034	18
ONKA HONEY	1054	■	■	■	S121	4
PORTOBELLO	0357	■	■	■	S053	23
PURE CONCRETE DARK	1062	■	■	■	WHITE	27
PURE CONCRETE LIGHT	1060	■	■	■	WHITE	27
PURE CONCRETE MEDIUM	1061	■	■	■	WHITE	27
ALBION	0577	■	■		S108	8
CERVINO OAK BEIGE	0797	■	■		S011	9
CERVINO OAK NATURE	0798	■	■		S109	9
DEEP FOREST	0360	■	■		S110	5
ETNA BEIGE	1068	■	■		WHITE	33
ETNA DARK	1069	■	■		WHITE	33
GRACE BAY BLACK	1050	■	■		WHITE	19
GRACE BAY CREAM	1049	■	■		WHITE	19
MUSE SAND	1052	■	■		S117	12
MUSE SMOKED	1051	■	■		S118	12
ONKA COFFEE	1057	■	■		WHITE	4
ONKA NATURAL	1055	■	■		S122	4
ONKA PEARL	1056	■	■		S120	4
OXYD IRON	0089	■	■		WHITE	29
OXYD PURE	0088	■	■		WHITE	29
PURE CONCRETE BEIGE	1064	■	■		WHITE	27
PRADO GREEN	1065	■	■		WHITE	32
PRADO TERRACOTTA	1063	■	■		WHITE	32
SECRET GARDEN WHITE	1059	■	■		WHITE	35
SERENA	0545	■	■		S132	10
TERRAZZO NATURE	1067	■	■		WHITE	34
TERRAZZO OCRE	1066	■	■		WHITE	34
TOASTED WOOD ASH	1053	■	■		WHITE	3
TOASTED WOOD CAFE	0799	■	■		WHITE	3
TOASTED WOOD ROADSTER	0800	■	■		WHITE	3
WILD OAK	0359	■	■		S075	6
DENIM WOOD	0356	■		■	S026	17
DIESEL BURNT	1074	■		■	WHITE	7
DIESEL NALA	1075	■		■	WHITE	7
GENTLEMAN GARANCE	1080	■		■	WHITE	30
GENTLEMAN INDIGO	1081	■		■	WHITE	30
GENTLEMAN PEPPERMINT	1082	■		■	WHITE	30
GENTLEMAN TAUPE	1083	■		■	WHITE	30
GENTLEMAN TWEED	1076	■		■	WHITE	30
TATAMI RAFFIA	1078	■		■	WHITE	31
TATAMI SAVANE	1077	■		■	WHITE	31
TATAMI SMOKED	1079	■		■	WHITE	31
CARASSI	0561	■			WHITE	24
CERVINO OAK COLD GREY	1187	■			WHITE	9
CERVINO OAK HONEY CLEAR	1186	■			WHITE	9
CLIFTON	0556	■			S144	11
CLIFTON CHESNUT	1191	■			WHITE	11
CLIFTON GREY	1192	■			WHITE	11
CLIFTON HONEY	1190	■			WHITE	11
DOUGLAS	0535	■			WHITE	22
EAST VILLAGE	0522	■			S154	26
HALIFAX	0531	■			S032	25
LIMED OAK	0329	■			S147	15
REGIMENTAL PICADILLY	0807	■			WHITE	20
SILVERSANDS	0324	■			S146	13
SOLID GLAM PICADILLY	0803	■			WHITE	20
TRAVERTINO BEIGE	1188	■			WHITE	16
TRAVERTINO GREY	1189	■			WHITE	16

■ : Available / Disponible / Verfügbar
WHITE / BLANC / WEIß = S001

LRV/LVR on gerflor.com

Non-contractual imagery / Reproductions coloris non contractuelles / Farbabweichungen sind möglich

TOASTED WOOD

TOASTED WOOD CAFE

TOASTED WOOD CAFE

TOASTED WOOD CAFE
0799

TOASTED WOOD ROADSTER
0800

TOASTED WOOD ASH
1053

MASKING DESIGN

230 x 1500

242 x 1461

Format / mm

ONKA

ONKA COFFEE

ONKA COFFEE

ONKA HONEY
1054

230 x 1500
242 x 1461
229 x 1220

ONKA NATURAL
1055

230 x 1500
242 x 1461

ONKA PEARL
1056

230 x 1500
242 x 1461



ONKA COFFEE
1057

MASKING DESIGN
230 x 1500
242 x 1461

Format / mm

DEEP FOREST

DEEP FOREST

DEEP FOREST

DEEP FOREST
0360

MASKING DESIGN

208 x 1243

214 x 1239

Format / mm

WILD OAK

WILD OAK
0359

MASKING DESIGN

208 x 1243

214 x 1239

Format / mm

DIESEL

DIESEL NALA

DIESEL NALA / TATAMI SAVANE

DIESEL NALA
1075

230 x 1500

229 x 1220

DIESEL BURNT
1074

230 x 1500

229 x 1220

Format / mm

ALBION

ALBION
0577

208 x 1243

214 x 1239

Format / mm

CERVINO OAK

CERVINO OAK HONEY CLEAR

CERVINO OAK HONEY CLEAR

CERVINO OAK BEIGE
0797

230 x 1500

242 x 1461

CERVINO OAK NATURE
0798

230 x 1500

242 x 1461

CERVINO OAK HONEY CLEAR
1186

230 x 1500

CERVINO OAK COLD GREY
1187

230 x 1500

Format / mm

SERENA

SERENA

SERENA
0545

208 x 1243

214 x 1239

SERENA

Format / mm

CLIFTON

CLIFTON CHESTNUT

CLIFTON CHESTNUT

CLIFTON
0556

MIX:
152 x 914 / 76 x 914 / 228 x 914

CLIFTON CHESTNUT
1191

MIX:
152 x 914 / 76 x 914 / 228 x 914

CLIFTON HONEY
1190

208 x 1243

CLIFTON GREY
1192

208 x 1243

Format / mm

MUSE

MUSE SAND

MUSE SAND

MUSE SAND
1052

208 x 1243

214 x 1239

MUSE SMOCKED
1051

208 x 1243

214 x 1239

Format / mm

SILVERSANDS

SILVERSANDS

SILVERSANDS
0324

208 x 1243

SILVERSANDS

Format / mm

MIDWEST

MIDWEST
0538

208 x 1243

214 x 1239

229 x 1220

Format / mm

LIMED OAK

LIMED OAK

LIMED OAK
0329

208 x 1243

LIMED OAK

Format / mm

TRAVERTINO

TRAVERTINO BEIGE

TRAVERTINO BEIGE

MASKING DESIGN

228 x 914

TRAVERTINO BEIGE
1188

MASKING DESIGN

228 x 914

TRAVERTINO GREY
1189

Format / mm

DENIM WOOD

DENIM WOOD
0356

MASKING DESIGN

208 x 1243

229 x 1220

Format / mm

MOON ISLAND

MOON ISLAND
0358

208 x 1243

214 x 1239

229 x 1220

MOON ISLAND / TATAMI RAFFIA

Format / mm

GRACE BAY

GRACE BAY CREAM

GRACE BAY CREAM



GRACE BAY BLACK
1050

MASKING DESIGN

208 x 1243

214 x 1239

GRACE BAY CREAM
1049

MASKING DESIGN

208 x 1243

214 x 1239

Format / mm

SOLID GLAM PICADILLY / REGIMENTAL PICADILLY

SOLID GLAM PICADILLY
0803

184 x 1219

REGIMENTAL PICADILLY
0807

184 x 1219

Format / mm

DOUGLAS

DOUGLAS


DOUGLAS

DOUGLAS
0535

208 x 1243

Format / mm

PORTOBELLO

PORTOBELLO
0357

MASKING DESIGN

208 x 1243

214 x 1239

229 x 1220

Format / mm

CARASSI



CARASSI
0561

228 x 914



Format / mm

HALIFAX



HALIFAX

HALIFAX

HALIFAX
0531

MASKING DESIGN

610 x 610

Format / mm

EAST VILLAGE



EAST VILLAGE
0522

610 x 610

Format / mm

PURE CONCRETE



PURE CONCRETE MEDIUM

PURE CONCRETE MEDIUM / PURE CONCRETE DARK



PURE CONCRETE MEDIUM
1061

914 x 914
391 x 729
914 x 914



PURE CONCRETE LIGHT
1060

914 x 914
391 x 729
914 x 914



PURE CONCRETE DARK
1062

914 x 914
391 x 729
914 x 914

PURE CONCRETE BEIGE
1063

914 x 914
391 x 729

Format / mm

DOCK

DOCK GREY

DOCK GREY / PURE CONCRETE LIGHT

DOCK TAUPE
0087

457 x 914
391 x 729
914 x 914

DOCK GREY
0085

457 x 914
391 x 729
914 x 914

Format / mm

OXYD

OXYD PURE

OXYD PURE / OXYD IRON

OXYD PURE
0088

MASKING DESIGN

457 x 914

391 x 729

OXYD IRON
0089

MASKING DESIGN

457 x 914

391 x 729

Format / mm

GENTLEMAN

GENTLEMAN GREY

GENTLEMAN GREY / GARANCE / PEPPERMINT

228 x 914
229 x 1220

GENTLEMAN TWEED
1076



228 x 914
229 x 1220

GENTLEMAN TAUPE
1083



610 x 610
391 x 729
600 x 600

GENTLEMAN GREY
1058

610 x 610
600 x 600

GENTLEMAN GARANCE
1080



610 x 610
600 x 600

GENTLEMAN INDIGO
1081

610 x 610
600 x 600

GENTLEMAN PEPPERMINT
1082

Format / mm

TATAMI

TATAMI SAVANE

TATAMI SAVANE

TATAMI RAFFIA
1078

MASKING DESIGN

610 x 610

600 x 600

TATAMI SAVANE
1077

MASKING DESIGN

610 x 610

600 x 600

TATAMI SMOKED
1079

MASKING DESIGN

610 x 610

600 x 600

Format / mm

PRADO



PRADO GREEN

PRADO GREEN / ONKA NATURAL

PRADO TERRACOTTA
1065

457 x 914

391 x 729

PRADO GREEN
1064

457 x 914

391 x 729

Format / mm

ETNA

ETNA BEIGE

ETNA BEIGE

ETNA BEIGE
1068

457 x 914
MIX (on demand / *sur commande*):
152 x 914 / 305 x 914 / 457 x 914

391 x 729

ETNA DARK
1069

457 x 914

391 x 729

Format / mm

TERRAZZO

TERRAZZO NATURE

TERRAZZO NATURE
1067

914 x 914

391 x 729

TERRAZZO OCRE
1066

914 x 914

391 x 729

TERRAZZO NATURE

Format / mm

SECRET GARDEN

SECRET GARDEN WHITE

SECRET GARDEN WHITE

SECRET GARDEN WHITE
1059

457 x 914

391 x 729

Format / mm

MORE THAN A FLOOR... **FLOOR, WALL & FINISHES**
PLUS QU'UN SOL... ***SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS***
MEHR ALS NUR BELAG... **BODEN, WAND & ZUBEHÖR**

MATTING /
TAPIS D'ENTRÉE /
SAUBERLAUF

TOOLS / *OUTILS* / WERKZEUGE

ADD-ON UNDERLAYERS / *SOUS COUCHES COMPLEMENTAIRES* / UNTERLAGEN

FOR MORE DETAILS / *PLUS DE DÉTAILS* / WEITERE INFORMATIONEN GERFLOR.COM



SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	ALBION - 0577	NATURAL	208 x 1243 mm	214 x 1239 mm		S108
	CARASSI - 0561	RIB WOOD	228 x 914 mm			WHITE
	CERVINO OAK BEIGE - 0797	NATURAL	230 x 1500 mm	242 x 1461 mm		S011
	CERVINO OAK COLD GREY - 1187	NATURAL	230 x 1500 mm			WHITE
	CERVINO OAK HONEY CLEAR - 1186	NATURAL	230 x 1500 mm			WHITE
	CERVINO OAK NATURE - 0798	NATURAL	230 x 1500 mm	242 x 1461 mm		S109
	CLIFTON - 0556	NATURAL	MIX*			S144
	CLIFTON CHESTNUT - 1191	NATURAL	MIX*			WHITE
	CLIFTON GREY - 1192	NATURAL	208 x 1243 mm			WHITE
	CLIFTON HONEY - 1190	NATURAL	208 x 1243 mm			WHITE
	DEEP FOREST - 0360	BRUSHED	208 x 1243 mm	214 x 1239 mm		S110
	DENIM WOOD - 0356	NATURAL	208 x 1243 mm		229 x 1220 mm	S026
	DIESEL BURNT - 1074	NATURAL	230 x 1500 mm		229 x 1220 mm	WHITE
	DIESEL NALA - 1075	NATURAL	230 x 1500 mm		229 x 1220 mm	WHITE
	DOCK GREY - 0085	HAMMERED	457 x 914 mm	391 x 729 mm	914 x 914 mm	S111
	DOCK TAUPE - 0087	HAMMERED	457 x 914 mm	391 x 729 mm	914 x 914 mm	S020
	DOUGLAS - 0535	NATURAL	208 x 1243 mm			WHITE
	EAST VILLAGE - 0522	STONE	610 x 610 mm			S154
	ETNA BEIGE - 1068	HAMMERED	457 x 914 mm MIX**	391 x 729 mm		WHITE
	ETNA DARK - 1069	HAMMERED	457 x 914 mm	391 x 729 mm		WHITE
	GENTLEMAN GARANCE - 1080	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN GREY - 1058	TEXTILE	610 x 610 mm	391 x 729 mm	600 x 600 mm	WHITE
	GENTLEMAN INDIGO - 1081	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN PEPPERMINT - 1082	TEXTILE	610 x 610 mm		600 x 600 mm	WHITE
	GENTLEMAN TAUPE - 1083	TEXTILE	228 x 914 mm		229 x 1220 mm	WHITE
	GENTLEMAN TWEED - 1076	TEXTILE	228 x 914 mm		229 x 1220 mm	WHITE
	GRACE BAY BLACK - 1050	NATURAL	208 x 1243 mm	214 x 1239 mm		WHITE
	GRACE BAY CREAM - 1049	NATURAL	208 x 1243 mm	214 x 1239 mm		WHITE
	HALIFAX - 0531	STONE	610 x 610 mm			S032
	LIMED OAK - 0329	NATURAL	208 x 1243 mm			S147
	MIDWEST - 0538	NATURAL	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S039
	MOON ISLAND - 0358	BRUSHED	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S034

** 152 x 914 mm / 76 x 914 mm / 228 x 914 mm*
*** 152 x 914 mm / 305 x 914 mm / 457 x 914 mm (on demand / sur commande)*

WHITE / BLANC / WEIß = S001

SCANS	COLOR DESIGN	EMBOSS / *GRAIN* / PRÄGUNG	GLUE DOWN INSTALLATION / *À COLLER*	CLIC INSTALLATION / *À CLIPSER*	LOOSELAY INSTALLATION / *PLOMBANT*	SKIRTINGS / *PLINTHES* / SOCKELLEISTEN
						Matching design
	MUSE SAND - 1052	NATURAL	208 x 1243 mm	214 x 1239 mm		S117
	MUSE SMOKED - 1051	NATURAL	208 x 1243 mm	214 x 1239 mm		S118
	ONKA COFFEE - 1057	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	ONKA HONEY - 1054	NATURAL	230 x 1500 mm	242 x 1461 mm	229 x 1220 mm	S121
	ONKA NATURAL - 1055	NATURAL	230 x 1500 mm	242 x 1461 mm		S122
	ONKA PEARL - 1056	NATURAL	230 x 1500 mm	242 x 1461 mm		S120
	OXYD IRON - 0089	PERFORATED	457 x 914 mm	391 x 729 mm		WHITE
	OXYD PURE - 0088	PERFORATED	457 x 914 mm	391 x 729 mm		WHITE
	PORTOBELLO - 0357	BRUSHED	208 x 1243 mm	214 x 1239 mm	229 x 1220 mm	S053
	**PRADO GREEN - 1064**	STONE	457 x 914 mm	391 x 729 mm		WHITE
	**PRADO TERRACOTTA - 1065**	STONE	457 x 914 mm	391 x 729 mm		WHITE
	**PURE CONCRETE BEIGE - 1063**	HAMMERED	914 x 914 mm	391 x 729 mm		WHITE
	**PURE CONCRETE DARK - 1062**	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	**PURE CONCRETE LIGHT - 1060**	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	**PURE CONCRETE MEDIUM - 1061**	HAMMERED	914 x 914 mm	391 x 729 mm	914 x 914 mm	WHITE
	REGIMENTAL PICADILLY - 0807	NATURAL	184 x 1219 mm			WHITE
	SECRET GARDEN WHITE - 1059	STONE	457 x 914 mm	391 x 729 mm		WHITE
	SERENA - 0545	NATURAL	208 x 1243 mm	214 x 1239 mm		S132
	SILVERSANDS - 0324	NATURAL	208 x 1243 mm			S145
	SOLID GLAM PICADILLY - 0803	NATURAL	184 x 1219 mm			WHITE
	TATAMI RAFFIA - 1078	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TATAMI SAVANE - 1077	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TATAMI SMOKED - 1079	STONE	610 x 610 mm		600 x 600 mm	WHITE
	TERRAZZO NATURE - 1067	STONE	914 x 914 mm	391 x 729 mm		WHITE
	TERRAZZO OCRE - 1066	STONE	914 x 914 mm	391 x 729 mm		WHITE
	TOASTED WOOD ASH - 1053	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	TOASTED WOOD CAFE - 0799	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	**TOASTED WOOD ROADSTER - 0800**	NATURAL	230 x 1500 mm	242 x 1461 mm		WHITE
	TRAVERTINO BEIGE - 1188	STONE	228 x 914 mm			WHITE
	**TRAVERTINO GREY - 1189**	STONE	228 x 914 mm			WHITE
	WILD OAK - 0359	BRUSHED	208 x 1243 mm	214 x 1239 mm		S075

WHITE / BLANC / WEIß = S001

EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
*SURFACES GRAINÉES **POUR UNE MATIÈRE TRÈS RÉALISTE***
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**



TEXTILE

*ULTRA REALISTIC EMBOSSING

BRUSHED
PERFORATED

			CREATION 70									CREATION 70 LOOSELAY	CREATION 70 CLIC
			CREATION 70 DESIGN								CREATION 70		

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.50								2.50	6.00	6.00
	ASTM F386-02	inch	0.1								0.1	0.24	0.24
Thickness of the wearlayer / Dicke der Nutzschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.70								0.70	0.70	0.70
	ASTM F410-02	inch	0.03								0.03	0.03	0.03
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m²	4100								3960	10000	9850
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219	230x1500	Mix planks 76/152/228 x914	610x610	914x914	457x914	228x914	Mix tiles 152/305/457 x914	208x1243	229x1220 / 600x600 / 914x914	214x1239 / 242x1461 / 391x729
	ASTM F 536	inch	7.25''x48''	9''x59''	3''/6''/9'' x36''	24''x24''	36''x36''	18''x36''	9''x36''	6''/12''/18'' x36''	8.2''x48.9''	9''x48'' / 23.6'' x 23.6'' / 36'' x 36''	8.4''x48.7'' / 9.5''x57.5'' / 15.3''x28.7''
Number of planks / tiles per box	-	-	14[1] / 15	9	8+8+8	9	5	9	17	4+4+4	14	6 / 4 / 2	6 / 5 / 5

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582									EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B									Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Classificación europea / Classificação Europeia / Europea	EN ISO 10874	Class	34 - 43									34 - 43	34 - 43
Classement UPEC	-	-	U4P3E2C2								U4P3E2C2	Pour pose dans des locaux classés U4P3E1/2C2	Pour pose dans les locaux classés U4P3E1/2C2
Certification QB UPEC	QB 30	n°	783/356-001.1								302-001-1	-	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1									Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2									< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida[2]	DIN 51130 / BGR 181	Class	R10									R10	R10

PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm³	< 2.0									⩽ 2.0	⩽ 2.0
Wear Group / Verschleißgruppe / Groep slijtvasheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T									T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I									I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	⩽ 0.25									⩽ 0.15	⩽ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittsmesswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidad Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	⩽ 0.10									⩽ 0.05	⩽ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	⩽ 0.10									⩽ 0.10	⩽ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4									9	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	76									73	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passagio di sed (Type W)	ISO 4918	-	OK									OK	OK
Thermal Conductivity / Wämeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemostand	EN ISO 10456	W/(m.K)	0.25									0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	⩾ 6									⩾ 6	⩾ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt									PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici [3]	EN ISO 26987	-	OK									OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m³	< 10									< 10	< 10
Certification /Zeugnis / Certification / Certificado / Certificação	-	-	Floorscore®									-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

CE	EN 14041	-	DS									Bfl-s1	

(1) Regimental Picadilly 0807
(2) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile
(3) Beständig gegenuber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Saüren und Laugen bei kurzzeitiger Einwirkung.

PACKAGING

Format (mm)	m² / Box / Boîte	m² / Pallet / Palette
CREATION 70		
184 x 1219	3.36	215.32
184 x 1219*	3.14	213.53
208 x 1243	3.62	195.46
228 x 914	3.54	212.65
230 x 1500	3.11	204.93
457 x 914	3.76	203.09
610 x 610	3.35	187.54
914 x 914	4.18	204.84
MIX Planks / Lames	3.34	213.49
MIX Tiles / Dalles	3.34	200.58
CREATION 70 CLIC		
214 x 1239	1.59	85.86
242 x 1461	1.77	84.96
391 x 729	1.43	85.80
CREATION 70 LOOSELAY		
229 x 1220	1.67	80.2
600 x 600	1.44	72.0
914 x 914	1.67	80.2

** Regimental Picadilly 0807*
More details on gerflor.com

GRACE BAY CREAM

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION
100% REACH
Phthalate Free
(except recycled content)

INDOOR AIR QUALITY
TVOC below detection level
No Formaldehyde emission

RECYCLED CONTENT
Glue Down: 35%
Loosely: 35%
Clic: 55%

RECYCLABILITY
100%

INSTALLATION
Clic: Adhesive free

LCA
Clic: Lowest Carbon Footprint
CO_2 emissions/sqm
10 times lower than standard process

WELLNESS
Walking noise reduction:
-10dB vs laminate

INTERIOR DESIGNER

interiordesigner.gerflor.com

Z0045539

30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs



“Serenity„
Julia - **End User**



“Time saving„
Mika - **Installer**

“Design„
Pierre - **Architect**

“Confidence„
Claire - **Store Manager**



“Reliability„
Lucas - **Distributor**

Gerflor is our **Reference**

RC Lyon B 726 580 152 - jpe - Printed in CEE 209 406 - 01/2020 - 21x29,7cm - Z004 5539 - Documentation indicative price: 0.90€

gerflor.com

Gerflor®
theflooringgroup