

/ parqwood.

BERRY  ALLOC



Let nature infuse your soul & space.

Feel the true power of nature.

The Parqwood collection, part of our Strong Wood Floors, harmonises the beauty of real wood with the ease and durability of a floor that's stronger than parquet. Crafted in our factory in Meaulne (FR) with tried-and-true innovations, our strong wood floors feature Ultimtec, a solvent-free and ultra-resistant varnish that combines the aesthetic charm of a mat oiled finish with the ease of maintenance and strength of a lacquered parquet.

Endless beauty, maximum strength.

Available in three sub-collections – XL, XXL Long, and Herringbone – Parqwood offers both versatility and sustainability, featuring a palette of five soothing oaks and gentle wood tones to complement any interior.

A true reflection of nature.

Much like any real wooden floor, every plank in the Parqwood collection features a unique shade bringing warmth and a sense of wellbeing to any space.





Parqwood Nude Naturel



A real oak surface with a premium finish, available in a selection of wood tones and plank formats.

Every plank is **unique**, with natural features like knots and color variations adding special character and a distinct look to any space.



Durable & strong for carefree living.

This highly impact resistant floor is easy to maintain due to the Ultimtec varnish, requiring no renovation or sanding, making it ideal for high-traffic areas with a **commercial usage class of 33**.



A clever and conscious use of nature's resources.

This responsible floor covers up to **ten times more** floor surface area with the same amount of oak as traditional parquet floors.



Parqwood Ambre Naturel



verniss innovant
ultimtec®

Oiled look, enhanced durability.



real
wood



carefree
living



durable &
strong
class 33



10 times less
use of wood



Healthy
interior



20 years
residential
warranty



Parqwood XL & XXL Long

made in  France



Parqwood Herringbone

made in  Belgium



* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).



Parqwood Nature Calm

Your wood choice. Your style.

Parqwood brings an exclusive selection of soothing oaks and gentle wood tones to suit any space. For a subtle look, choose Calm, featuring harmonious and regular lines perfect for serene and peaceful spaces. Or opt for Naturel, which brings a balanced yet lively, and energetic feel to any room.

Parqwood captures the natural beauty of real wood. Each plank is characterized by its own singularities and shade variations that evolve with light exposure. Experience your floor growing in character, enriching your spirit along the way.

Select your timeless colour.

Nude


A very light white-beige with hints of linen and hazelnut. Its spirit is luminous, reassuring & neutral.



Nude Calm
Herringbone A 61001494
Herringbone B 61001490
CC* ● orange

Nature

A bright yellow ochre with hints of amber, turmeric and honey. Its spirit is authentic, eternal, reassuring & understated.



Nature Calm
Herringbone A 61001487
Herringbone B 61001491
CC* ● yellow

Ambre

An intense ochre-brown with hues of orange with hints of honey, amber, cashew, havana and oxide. Its spirit is vital, classic, unchangeable & universal.



Ambre Calm
Herringbone A 61001488
Herringbone B 61001493
CC* ● orange

Silk

A light, whitened, straw beige, with hints of ochre, orange and vanilla notes. Its spirit is understated, harmonious & soft.



Silk Calm
Herringbone A 61001485
Herringbone B 61001492
CC* ● yellow

Albatre

A very light pinkish white-beige with notes of wheat, motherofpearl, turtledove grey and straw. Its spirit is understated, silky, refined & harmonious.



Albatre Calm
Herringbone A 61001489
Herringbone B 61001484
CC* ● purple



Nude Naturel
XL 61001391
XXL Long 61001377
CC* ● orange



Nature Naturel
XL 61001388
XXL Long 61001374
CC* ● yellow



Ambre Naturel
XL 61001400
XXL Long 61001386
CC* ● orange



Silk Naturel
XL 61001394
XXL Long 61001380
CC* ● yellow



Albatre Naturel
XL 61001397
XXL Long 61001383
CC* ● purple



Nude Calm
XL 61001390
XXL Long 61001376
CC* ● orange



Nature Calm
XL 61001373
XXL Long 61001372
CC* ● yellow

Select your premium wood choice.

calm.

Homogeneous, regular lines, no sapwood.

size of knots ○○○
density of knots ○○○
colour contrast ●○○


naturel.

Balanced, lively appearance, traces of sapwood possible.

size of knots ●●○
density of knots ●○○
colour contrast ●○○

*CC: colour character - the underlying shade of the floor.


Select your design format.



xl : 10 planks – 2,20 m²
 xxl lg : 6 planks - 2,78 m²
 herringbone : 20 planks - 0,847 m²



xl : 40 packs – 88,06 m²
 xxl lg : 40 packs - 111,40 m²
 herringbone : 48 packs - 40,70 m²



Oiled look, enhanced durability

Ultimtec® provides an exceptionally matt finish and makes Parqwood ultra resistant to scratches and wear & tear all while preserving the authentic feel of the wood.

Easy to clean and to maintain, Parqwood combines natural beauty with long-lasting durability.

Quick & easy to install

The BestLoc X-Treme and OmniLoc locking systems ensure a beautiful, flawless floor due to their incredible locking strength for improved stability.

Parqwood XL and XXL Long

With Best Loc® X-treme, install the planks one after the other by simply clicking them into place. No tools or glue needed.




Parqwood Herringbone

With OmniLoc, install each plank after the other by using the BerryAlloc installation tool or a tapping block and hammer.



1. Ultimtec lacquer surface treatment
2. Oak surface: 0.6 mm
- 3a. Sliced HDF core
- 3b. HDF core and sliced spruce backing



Thin yet remarkably strong.

The thinner the wooden top layer, the more resistant the floor is to impact. Our Ultimtec varnish protects the 0.6 mm oak surface, ensuring durability and longevity of your floor. The high density of the HDF core enhances heat transmission when used with underfloor heating and absorbs and reduces noise due to its mass effect (875 kg/m³).

Don't forget the lovely details.

Installation accessories

Install your floor floating or glued.




Underlay Excellence+
For a floating installation
- 19 dB minimum
1 m x 10 m x 2,5 mm
Code : SEPLUS10




Moisture barrier 200µm
2 600 x 10 000 x 0,2 mm
26 m² / roll
Code : WD158235



BerryAlloc Glue
For glued installation
1-1,2kg per sqm
Box of 3 packs of 7,5 kg with B11 scraper
Code : 63003597



White, paintable skirtings
60 mm (63001756)
80 mm (63001776)
100 mm (9372-3045)
L 2400 mm
4 PC/pack



White, paintable quarter round
14 mm (63001736)
L 2 400 x 14 x 14 mm (LxWxH)
4 PC/pack

Skirtings and profiles in oak veneer

100% matching with your floor.



Skirting 69 mm
L 1950 mm (5 pc/pack)



T-profile
L 1150 mm or L 1950 mm



Reducer profile
L 1150 mm or L 1950 mm




End profile
L 1950 mm

	Skirting 69mm	T-Profile	Reducer-Profile	End-Profile
Nature	L 1950 63002562	L 1150 mm 63002619	L 1950 mm 63002638	L 1950 mm 63002581
Nude	63002563	63002620	63002639	63002600
Albatre	63002558	63002615	63002634	63002601
Ambre	63002559	63002616	63002635	63002596
Silk	63002566	63002623	63002642	63002597
				63002604
				63002657
				63002658
				63002653
				63002654
				63002661



Parqwood Albatre Naturel



BERRY  **ALLOC**

BerryAlloc
RD 2144 - BP5
03360 Meaulne, France
T +33 4 70 08 15 15
info@berryalloc.com

berryalloc.com